



CL03 - Boolean Operators and Conditionals

Boolean

- Something that evaluates to True or False
- Typically shown with relational operator and/or boolean operator

Boolean

- Something that evaluates to True or False
- Typically shown with relational operator and/or boolean operator
 - "Hello" == "hello"
 - 4 >= 2

Boolean Operators

- not, and, or
- Can be used to express more with booleans
 - It is not rainy: `weather != "rain"`

Boolean Operators

- not, and, or
- Can be used to express more with booleans
 - It is not rainy: `not (weather == "rain")`

Boolean Operators

- not, and, or
- Can be used to express more with booleans
 - It is not rainy: **not** (weather == "rain")
 - It is rainy or it is snowy: (weather == "rain") **or** (weather == "snow")

Not

- `not` inverts the value of a boolean expression

| b | <code>not b</code> |
|---|--------------------|
| | |
| | |

Not

- `not` inverts the value of a boolean expression

| b | <code>not b</code> |
|-------|--------------------|
| True | False |
| False | True |

and

- booleans combined with **and** evaluate to True if and only if both booleans are True

| a | b | a and b |
|---|---|----------------|
| | | |
| | | |
| | | |
| | | |

and

- booleans combined with **and** evaluate to True if and only if both booleans are True

| a | b | a and b |
|-------|-------|----------------|
| True | True | True |
| True | False | False |
| False | True | False |
| False | False | False |

or

- booleans combined with **or** evaluate to True if at least one is True

| a | b | a or b |
|---|---|---------------|
| | | |
| | | |
| | | |
| | | |

or

- booleans combined with **or** evaluate to True if at least one is True

| a | b | a or b |
|-------|-------|---------------|
| True | True | True |
| True | False | True |
| False | True | True |
| False | False | False |

Ordering

P

E

MD

AS





not

and


or

Conditionals

Recall: Finding the Lowest Card







Low card:



If current card < low card,
make it the low card.


Recall: Finding the Lowest Card



$2 < 5?$







Low card:




If current card < low card,
make it the low card.

Recall: Finding the Lowest Card







$3 < 2?$ 

Low card:




If current card $<$ low card,
make it the low card.

Recall: Finding the Lowest Card







5 < 2? 

Low card:




If current card < low card,
make it the low card.

Recall: Finding the Lowest Card







5 < 2? 

Low card:




If current card < low card,
make it the low card.

Recall: Finding the Lowest Card



Low card:



Conditional Statement




If current card < low card,
make it the low card.

Conditional Statements

if <something>: ← bool

<do something>

<rest of program>



Conditional Statements


```
if <something>:
```

```
    <do something>
```

```
else:
```

```
    <do something else>
```

```
<rest of program>
```



Conditional Statements


if <something>:

 <do something>

else:

 <do something else>

<rest of program>



Discussion

What is a decision you make in your day-to-day that you can express as an conditional (if-else) statement?

E.g. If I my assignment is due tomorrow, I start working on it. Else (it's not due tomorrow), I procrastinate another day.

(This is bad behavior and I don't condone it!)


Conditional Statements

if

:



else:



Practice

Write a function called `check_first_letter` that takes as input two `strs`: `word` and `letter`

It should return `"match!"` if the first character of `word` is `letter`

Otherwise, it should return `"no match!"`

Examples:

- `check_first_letter(word="happy", letter="h")` would return `"match!"`
- `check_first_letter(word="happy", letter="s")` would return `"no match!"`

Diagram


```
1  def number_info(num: int) -> None:
2      if num < 10:
3          print("Small number.")
4      else:
5          if num % 2 == 0:
6              print("Even number.")
7          else:
8              print("Odd number.")
9      return num
10
11  number_info(num=11)
12  print(number_info(num=4))
```

What if...

```
1 def number_info(num: int) -> None:
2     if num < 10:
3         print("Small number.")
4     else:
5         if num % 2 == 0:
6             print("Even number.")
7         else:
8             print("Odd number.")
9     return num
```

What if...

```
1 def number_info(num: int) -> None:
2     if num < 10:
3         print("Small number.")
4     else:
5         if num % 2 == 0:
6             print("Even number.")
7         else:
8             print("Odd number.")
9     return num
```



What if...

```
1 def number_info(num: int) -> None:
2     if num < 10:
3         print("Small number.")
4     else:
5         if num % 2 == 0:
6             print("Even number.")
7         else:
8             print("Odd number.")
9     return num
```

```
1 def number_info(num: int) -> None:
2     if num < 10:
3         print("Small number.")
4     elif num % 2 == 0:
5         print("Even number.")
6     else:
7         print("Odd number.")
8     return num
```


What if...

```
1 def number_info(num: int) -> None:
2     if num < 10:
3         print("Small number.")
4     else: elif
5         if num % 2 == 0:
6             print("Even number.")
7         else:
8             print("Odd number.")
9     return num
```

```
1 def number_info(num: int) -> None:
2     if num < 10:
3         print("Small number.")
4     elif num % 2 == 0:
5         print("Even number.")
6     else:
7         print("Odd number.")
8     return num
```

Previous Control Flow

```
if <condition>:  
    <do something>  
else:  
    if <other condition>:  
        <do something else>  
    else:  
        <do third thing>  
<rest of program>
```



New Control Flow

if <condition>:

<do something>


elif <other condition>:

<do something else>

else:

<do third thing>

<rest of program>



Practice

- Write a function called `get_weather_report` that takes `weather: str` as input and returns a `str`
- If `weather` is "rainy" or "cold", it should print "Bring a jacket!"
- If weather is "hot", it should print "Keep cool out there!"
- Otherwise, it should print "I don't recognize this weather."
- `return` the `weather` variable
- Call it with the input "cold" to see what you get!
- Now, use the `input` function to ask the user "What is the weather?" and pass that as the argument to `get_weather_report`